



# Corrigendum: Inefficient Preparatory fMRI-BOLD Network Activations Predict Working Memory Dysfunctions in Patients with Schizophrenia

# **OPEN ACCESS**

### Edited and Reviewed by:

Thomas W. Weickert, University of New South Wales, Australia

### \*Correspondence:

Anja Baenninger anja.baenninger@puk.unibe.ch

### Specialty section:

This article was submitted to Schizophrenia, a section of the journal Frontiers in Psychiatry

Received: 14 July 2016 Accepted: 02 August 2016 Published: 29 August 2016

### Citation:

Baenninger A, Diaz Hernandez L,
Rieger K, Ford JM, Kottlow M
and Koenig T (2016)
Corrigendum: Inefficient Preparatory
fMRI-BOLD Network Activations
Predict Working Memory
Dysfunctions in Patients
with Schizophrenia.
Front. Psychiatry 7:141.
doi: 10.3389/fpsyt.2016.00141

Anja Baenninger<sup>1,2\*</sup>, Laura Diaz Hernandez<sup>1,3</sup>, Kathryn Rieger<sup>3</sup>, Judith M. Ford<sup>2,4</sup>, Mara Kottlow<sup>1,3</sup> and Thomas Koenig<sup>1,3</sup>

Keywords: schizophrenia, working memory, temporally coherent networks, state-dependent information processing, simultaneous EEG-fMRI, covariance mapping

## A corrigendum on

# Inefficient Preparatory fMRI-BOLD Network Activations Predict Working Memory Dysfunctions in Patients with Schizophrenia

by Baenninger A, Diaz Hernandez L, Rieger K, Ford JM, Kottlow M, Koenig T. Front Psychiatry (2016) 7:29. doi: 10.3389/fpsyt.2016.00029

# Reason for Corrigendum:

There is a mistake in the labeling of the two networks plotted in **Figure 4**: the default mode network (DMN) of controls should be indicated with circles instead of triangles such as the dorsal attention network (dAN). The authors apologize for the mistake. The error does not change the content of the article in any way.

In **Figure 5**, there was mistakenly a red correction line below the label of the right working memory network (rWMN) that was unfortunately not spotted upon publication. This change has no impact neither on the scientific work nor the conclusions of the article in any way. We apologize for the oversight.

The corrected Figures are below:

1

<sup>&</sup>lt;sup>1</sup> Translational Research Center, University Hospital of Psychiatry and Psychotherapy, University of Bern, Bern, Switzerland, <sup>2</sup> San Francisco VA Medical Center, San Francisco, CA, USA, <sup>3</sup> Center for Cognition, Learning and Memory, University of Bern, Bern, Switzerland, <sup>4</sup> Department of Psychiatry, University of California San Francisco, San Francisco, CA, USA





FIGURE 4 | Mean DMN and dAN from pre- to poststimulus in the WM task. Mean DMN and dAN dynamics at prestimulus and retention intervals for each load and group. X-axis: time points (prestimulus and retention period), Y-axis: mean percent signal change of variance normalized, and z-transformed TCNs.



**FIGURE 5** | **Mean evolution of TCNs over average trials**. Upper plot shows the templates for each TCN from the study of Kottlow et al. with the three orthogonal slices through areas of maximum activation (only positive values; for detailed information about included regions, see Table S1 in Supplementary Material). Lower plots display the mean network evolutions over average trials for each load (thin line = load 2; thick line = load 5) and each group (black line = controls; red line = patients). Dashed lines indicate significance of the t-tests (two-sided, p = 0.05): (1) mean evolutions, (2) mean evolutions against 0, (3) load effect, (4) group effect (blue thin line = load 2; blue thick line = load 5), and (5) interaction of group by load. X-axis: time over trial [prestimulus: -4 to -2.5 s; stimulus (light gray block): -2.5 to 0 s; retention (dark gray block): 0-3.5 s; probe: 0-5.5 s], 0-5.5 s], 0-5.5 s], 0-5.5 s], 0-6.5 signal change of variance normalized, and 0-2-transformed TCNs' time courses.

**Conflict of Interest Statement:** The authors declare that the research was conducted in the absence of any commercial or financial relationships that could be construed as a potential conflict of interest.

Copyright © 2016 Baenninger, Diaz Hernandez, Rieger, Ford, Kottlow and Koenig. This is an open-access article distributed under the terms of the Creative Commons Attribution License (CC BY). The use, distribution or reproduction in other forums is permitted, provided the original author(s) or licensor are credited and that the original publication in this journal is cited, in accordance with accepted academic practice. No use, distribution or reproduction is permitted which does not comply with these terms.